

## TITLE OF THE INVENTION

### DATA EDITING APPARATUS AND METHOD

#### 5 FIELD OF THE INVENTION

The present invention relates to data editing apparatus and method, and more particularly, to data editing apparatus and method preferably used for generating a digital album utilizing binary data such as  
10 still image data, audio data and moving image data.

#### BACKGROUND OF THE INVENTION

As digital still cameras and digital video cameras are widely used, the amount of so-called binary data  
15 such as still image data, moving image data and audio data, handled for domestic use is dramatically increasing. To effectively utilize these binary data, some search and management methods are required.

For example, one method is using a digital album  
20 to arrange digital image data and browse the data. A digital album is an image display which looks like a silver-chloride photo album, having a digital image pasted on a background image called a template.

In use of digital album, image data can be simply  
25 arranged, and storage and browsing can be made without consideration of storage space of image data, and further, appearance of browsed images are improved.

However, actually, digital albums are not positively utilized for storage and management of digital image data. To generate a digital album, as it is necessary to design the album by e.g. selecting backgrounds of

- 5    respective digital image data, the works to generate a digital album are complicated and troublesome. As the number of digital images increases, the load of the works increases.

- 10    For example, moving image data obtained by image sensing using a digital video camera or the like can be inputted into a personal computer or specialized device and subjected to various processings and editing. Various processings and editing include addition of title, joining moving image data and the like. The
- 15    moving image data are arranged by the editing, and appearance of moving image data upon browsing is improved.

- 20    However, actually, people are not willing to improve an opportunity to edit moving image data since processing/editing of moving image data requires complicated works by using specialized software, and such work becomes heavy load on users. For example, it is troublesome to find necessary moving image data and it requires a skilled technique to rearrange data and
- 25    process a joint between images.

On the other hand, Japanese Published Examined

Patent Application No. Hei 11-234560 proposes a technique of adding meta data to still image data and audio data and utilizing the data for generation of moving image data. However, there is no technique of adding meta data to moving image data itself and utilizing the data for editing the moving image data.

#### SUMMARY OF THE INVENTION

10 The present invention has been made in consideration of the above situation, and has its object to appropriately assign binary data to previously-provided templates. This facilitates e.g. generation of digital album.

15 Further, another object of the present invention is to automate moving image editing thereby facilitate editing of moving image data.

According to the present invention, the foregoing object is attained by providing a data editing method for performing editing on binary data by using plural templates having keywords, comprising: an assignment step of assigning each of plural binary data to one of the plural templates based on the keywords; and a construction step of, upon reproduction of the plural binary data by using the plural templates, constructing reproduction data so as to reproduce the plural binary

data in accordance with the result of assignment at the assignment step.

According to another aspect of the present invention, the foregoing object is attained by providing  
5 a data editing apparatus for performing editing on binary data, comprising: storage means for storing plural templates having keywords; assignment means for assigning each of plural binary data to one of the plural templates based on the keywords; and construction  
10 means for, upon reproduction of the plural binary data by using the plural templates, constructing reproduction data so as to reproduce the plural binary data in accordance with the result of assignment by the assignment means.

15 Other features and advantages of the present invention will be apparent from the following description taken in conjunction with the accompanying drawings, in which like reference characters designate the same name or similar parts throughout the figures  
20 thereof.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated  
25 in and constitute a part of the specification, illustrate embodiments of the invention and, together

with the description, serve to explain the principles of the invention.

Fig. 1 is a block diagram showing the system configuration of a recording apparatus used for  
5 generation of digital album according to a first embodiment of the present invention;

Fig. 2A is an example of data structure where meta data indicating the contents of image data is added to the image data;

10 Fig. 2B is a schematic diagram showing image data and meta data indicating the contents of the image data linked to the image data;

Figs. 3A to 3E are examples of meta data showing contents of image data 1 to 5;

15 Fig. 4A is a table showing a digital album scenario;

Fig. 4B is an example of the digital album scenario;

20 Figs. 5A to 5D are examples of templates for generation of digital album;

Fig. 6 is a table showing keywords linked to the respective templates;

Fig. 7 is a flowchart showing a digital album generation procedure;

25 Fig. 8 is a flowchart showing selection of template matching each image data;

Fig. 9 is a flowchart showing a procedure of inserting selected image data into a corresponding template;

Fig. 10 is a block diagram showing the system configuration of moving image data editing apparatus according to a second embodiment of the present invention;

Fig. 11 is an explanatory view of moving image editing processing according to the second embodiment;

Figs. 12A and 12B are tables showing data structures where meta data is added to moving image data;

Fig. 13 is a flowchart showing processing upon moving image editing;

Fig. 14 is a flowchart showing moving image data search processing according to the second embodiment;

Fig. 15 is a flowchart showing processing of display-describing moving image data in a template; and

Fig. 16 is a flowchart showing the moving image data search processing by utilizing similar image search according to a third embodiment of the present invention.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Preferred embodiments of the present invention will now be described in detail in accordance with the

accompanying drawings.

In the following embodiments, generation of digital album by using a recording apparatus will be described, however, the scope of the present invention is not limited to the embodiments.

To perform image data search and management, it is efficient to handle image data including so-called meta data, i.e., additional information explaining the image data such as name of person, title of event, date and keyword. Meta data means "data on data" used as additional data explaining the contents of binary data such as image data and audio data. If the meta data is added to each binary data, image data, audio data and the like can be found by a keyword search. Further, as more meta data are added to the respective binary data, searches can be performed on the respective binary data with more keywords. In the following embodiments, meta data as described above is utilized.

## <First Embodiment>

### [System Configuration of Recording Apparatus]

Fig. 1 is a block diagram showing the system configuration of a recording apparatus 100 according to a first embodiment of the present invention.

In Fig. 1, a data input/output unit 106 inputs/outputs various data including binary data such

as image data with meta data, and meta data. An input unit 101 inputs instructions and data from a user by using various input devices such as a keyboard and a mouse.

5           A display unit 102 which is a CRT, a liquid crystal display or the like, displays image data or displays a GUI screen image where picture, icons and the like are displayed. A storage unit 107 which is a hard disk is used for storing various data such as binary  
10 data and meta data.

          Numeral 103 denotes a CPU which relates to all the processings of the above-described elements. A ROM 104 and a RAM 105 provide programs, data, work area and the like necessary for the processings to the CPU 103.

15 Further, control programs necessary for the respective processings as shown in the flowcharts of Figs. 7 to 9 are stored in the storage unit 107 or the ROM 104. If the control programs are stored in the storage unit 107, the programs are temporarily read into the RAM 105 then  
20 executed.

          Note that in the system configuration, various constituent elements other than the above-described elements exist, however, as the explanation of those elements is not a principle object of the present  
25 invention, the explanation will be omitted.



[Image Data to Which Meta Data Is Linked]

Figs. 2A and 2B show examples of image data to which meta data is linked, used in the present embodiment.

5           Fig. 2A shows an example where all the meta data as additional information of respective image data are added to the end of the respective image data. Fig. 2B shows an example where two types of meta data exist. One meta data is added to the end of image data, and the  
10   other meta data is independent of the image file. The independent meta data has description of additional information of the image. On the other hand, the meta data added to the image data has descriptions of file name of the independent meta data, a file path, and a  
15   pointer indicating the location of the meta data, and the like.

          In the case of Fig. 2B, the additional information of each image data is found by a search using a meta data file name or a pointer indicating the location of  
20   meta data. It may be arranged such that if image data is selected, meta data as additional information is automatically selected and a keyword described in the meta data is displayed on the display unit 102.

          Figs. 3A to 3E are examples of meta data added to  
25   image data 1 to 5 showing only the meta data from Fig. 2A or 2B.

Note that in the above examples, the meta data are described in XML, however, the meta data may be described in other data description languages than XML such as SGML and HTML.

5 Further, the image data 1 to 5 show examples of image data obtained in sports. The meta data explaining the contents of the respective image data include, as common keywords, e.g., 303 (Photographer: Takashi Hanamoto), 304 (Date: 2000-5-5), 305 (Location: Kamakura Dai-Ichi Junior High School), and 306 (Event: sports) in 10 Fig. 3A.

Further, as the other keywords, the meta data explaining the contents of the respective image data include, e.g., 307 (Event: opening ceremony (Fig. 3A)), 15 309 (Event: opening address (Figs. 3B)), 311 (Event: relay race (Fig. 3C)), 313 (Event: leaving (Fig. 3D)), 314 (Event: opening (Fig. 3E)), and 315 (Event: bread eating race (Fig. 3E)).

Note that the above keywords are shown as examples, 20 and more information may be provided.

#### [Digital Album]

A digital album is used for arrangement and browsing of digital images as described above. An image 25 where a digital image is pasted on a background image called a template is displayed on a display screen as if

it is a silver-chloride photo album.

The recording apparatus 100 of the present embodiment has previously-provided various scenarios (or themes), "sports", "wedding ceremony", "family trip",  
5 "golf competition" and the like, necessary upon generation of digital album as shown in Fig. 4A. Each scenario has plural templates. For example, the scenario "sports" has templates as shown in Figs. 5A to 5D. The scenario is stored as a template group having plural  
10 templates or a template file in the storage unit 107.

As shown in Fig. 4B, a scenario is constructed with an XML file and text files, and has descriptions of file names of respective templates constructing the scenario, and locations of the files. That is, when the  
15 system reads an XML file describing a scenario, the system can automatically read a template group constructing the scenario.

In Fig. 5A, a template 201 is an example of "opening ceremony"; in Fig. 5B, a template 202, an  
20 example of "bread eating race"; in Fig. 5C, a template 203, an example of "other activities"; and in Fig. 5D, a template 204, an example of "closing ceremony". As shown in the figures, the templates respectively have different backgrounds and different layouts, with frames  
25 where selected images are pasted or necessary comments are inputted. Further, the templates are described in

SVG (Scalable Vector Graphics) file format as a two-dimensional graphics description language. Note that the templates may be image files such as JPEG image files.

In the recording apparatus 100, a digital album is  
5 generated by selecting a scenario appropriate to input image data from the previously-provided scenarios, next, selecting necessary templates in accordance with the selected scenarios, and pasting the image data on the selected templates.

10 Note that the templates as shown in Figs. 5A to 5D include audio data, and sound reproduction can be performed upon album browsing. Further, as shown in Fig. 6, template keywords are provided for the respective templates, and the keywords are utilized upon comparison  
15 with meta data keywords of meta data as additional information of image data, for selection of optimum template. This operation will be described in detail in the flowchart of Figs. 7 to 9.

Note that the template 203 "other activities" in  
20 Fig. 5C is a template provided for storing image data which does not match any of the keywords "opening ceremony", "bread eating race" and "closing ceremony" ("others" template).

Further, as shown in Fig. 6, the template keywords  
25 have priorities. For example, the "opening ceremony" template 201 previously has template keywords "opening

ceremony", "opening", "opening address" and "leaving". Among these keywords, the keyword "opening ceremony" has the first priority, and the keyword "opening" has the second priority. In this manner, the templates  
5 respectively have a predetermined priority.

Further, as shown in Figs. 5A to 5D, the templates have image data frames 205 to 212 where image data are to be pasted. Further, the size and number of image data frames can be increased/decreased in correspondence with  
10 image data to be pasted.

Further, comment frames 213 to 215 are areas where comments on pasted image data are displayed.

#### [Digital Album Generation Procedure]

15 Fig. 7 is a flowchart showing a digital album generation procedure by using the recording apparatus 100.

First, at step S401, a scenario of digital album to be generated is selected from the scenarios as shown  
20 in Fig. 4A. In the present embodiment, a list of the scenarios in Fig. 4A is displayed on the display unit 102, and a desired scenario is selected by using a pointing device of the input unit 101. When a scenario has been selected, plural templates linked to the  
25 selected scenario are selected. Otherwise, a template file linked to the selected scenario is selected.

Next, the process proceeds to step S402, at which a folder holding image data to be used in the album is selected or image data group to be used in the album is selected. Further, it may be arranged such that an image  
5 data group to be used in the album is previously designated, and when a scenario is selected, the image data group is automatically selected.

Next, at step S403, image data are read one by one from the image data group in the selected folder or  
10 selected image data group, and the contents of meta data as additional information of the image data are read into the RAM 105. Then, a keyword matching analysis is performed by comparing a keyword of the read meta data with the respective template keywords. This processing  
15 is performed on all the image data in the selected folder or selected image data group.

Next, at step S404, based on the result of matching analysis at step S403, the image data are classified by template. The details of the processing at  
20 steps S403 and S404 will be described in detail with reference to the flowchart of Fig. 8.

Next, at step S405, the image data classified by template by the processing at step S404 are inserted into the respective image data frames. The details of  
25 the processing will be described in detail with reference to the flowchart of Fig. 9.

Next, at step S406, the generated digital album is saved in SVG (Scalable Vector Graphic) file format as a two-dimensional graphics language or an image file format such as JPEG, and the series of digital album generation operation is completed. In this manner, a digital album can be generated by a simple operation by, e.g., automatically pasting image data on the templates in Figs. 5A to 5D. Further, comments can be freely written in the comment frames 213 to 215 after the generation of digital album.

#### [Image Data Assignment]

Fig. 8 is a flowchart showing the image data classification operation at steps S403 and S404 in Fig. 7. Note that as the processing shown in Fig. 8 is performed on meta data of one image data, the processing in Fig. 8 is repeated by the number of image data to be processed.

First, at step S501, a keyword is read from the meta data of processed image data (e.g., any one of the keywords in Figs. 3A to 3E).

Next, at step S502, a matching analysis is performed between the read meta data keyword and keywords described in the respective templates (Fig. 6).

Next, at step S503, if it is determined as a result of matching analysis that the meta data keyword

matches some of the template keywords, the process proceeds to step S504, while if the meta data keyword does not match any template keyword, the process proceeds to step S505.

5           At step S504, the number of template keywords matching the meta data keyword is examined. If the meta data keyword matches plural template keywords, the process proceeds to step S506, while if the meta data keyword matches one template keywords, the process  
10 proceeds to step S508.

Next, at step S506, a highest priority keyword is searched from the obtained plural keywords, then the image data is assigned to the template of the highest priority keyword, and the series of operations is  
15 completed.

Next, the case where the meta data explaining the contents of the image data 5 has two keywords "opening" and "bread eating race" will be described with reference to the example of Fig 3E.

20           In this case, as the keywords match the template 201 with the second priority ("opening") and the template 202 with the first priority ("bread eating race"), the templates 201 and 202 can be used.

However, as the priority order of "bread eating  
25 race" is first in the template 202 and that of "opening" is the second in the template 201, the highest priority



keyword "bread eating race" is taken, and the keyword is assigned to the template 202. That is, the image data 5 is assigned to the template 202.

Note that if the image data frame 207 of the  
5 template 202 is already filled with a predetermined number of image data, the image data 5 is assigned to the template 202 with the next priority order keyword "opening".

The "assignment to the next highest priority  
10 template" is repeated until a template having an available image data frame is found. If none of the templates has an available image data frame, the image data is assigned to the "others" template. Further, if plural highest-priority keywords exist, the image data  
15 is assigned at random.

Another example will be described with reference to Fig. 3D where the meta data explaining the contents of the image data 4 has a keyword "leaving". In this case, as the keyword matches the 4th priority keyword of  
20 the template 201 ("leaving") and the 3rd priority keyword of the template 204 ("leaving"), the both templates 201 and 204 can be used.

However, as the priority order of the keyword "leaving" is the 3rd in the template 204 and the 4th in  
25 the template 201, the template 204 is used prior to the template 201. As a result, the keyword is assigned to

the template 204. That is, the image data 4 is assigned to the template 204.

The "assignment to the next highest priority template" is repeated until a template having an available image data frame is found. If none of the templates has an available image data frame, the image data is assigned to the "others" template. Further, if plural keywords have the same priority order, the image data is assigned at random.

10 On the other hand, if the number of templates is one, the process proceeds from step S506 to S508, at which the image data is assigned to the selected template, and the series of operations is terminated.

For example, the keywords "opening ceremony" and "opening address" of the image data 1 (Fig. 3A) and the image data 2 (Fig. 3B) both match keywords of the template 201. Further, the template 201 has two image data frames. Accordingly, the image data 1 and the image data 2 are both assigned to the template 201.

20 Next, at step S505, image data assignment is performed in the case where the keyword of the meta data does not match any of the keywords of the templates 201, 202 and 204 in Fig. 6, as in the case of Fig. 3C. The image data is assigned to "other activities" of the template 203 in Fig. 6 as the "others" template, and the series of operations is terminated.

[Image Data Pasting]

Fig. 9 is a flowchart showing a procedure of inserting image data, assigned to a corresponding  
5 template, into image data frames. The following processing is performed on all the templates included in the scenario.

First, at step S601, the number of image data assigned to a template is examined.

10 Next, at step S602, it is determined whether or not the number of assigned image data is 0. If the number of image data is not 0, the process proceeds to step S603, while if the number of image data is 0, the process proceeds to step S604.

15 Next, at step S604, the template having no image data is removed from the album, and the series of operations is terminated.

On the other hand, at step S603, the number of image data frames of the template is increased/decreased  
20 to be equal to the number of the assigned image data. Note that a predetermined upper limit is set on the number of image data frames so as to avoid concentration of image data into one template.

Next, the process proceeds to step S605, at which  
25 it is determined whether or not the number of image data is greater than the predetermined upper limit value of

the image data frames. If the number of image data is not greater than the predetermined upper limit value of the image data frames, the process proceeds to step S606, at which the assigned image data are pasted on the image data frames of the respective templates as shown in Figs. 5A to 5D. Then the series of operations is terminated.

On the other hand, at step S605, if the number of image data to be pasted is greater than the upper limit value of the number of the image data frames, the process proceeds to step S607a, at which the image data are pasted, sequentially from image data having the highest priority keyword, on the image data frames. At step S607b, the remaining image data, which have not been pasted at step S607a, are pasted on the image data frame of the "other activities" template 203. Then the series of operations is terminated.

Further, if plural image data have the same priority, image data are selected at random from those image data and pasted on the image data frames, and the remaining image data which have not been pasted are pasted on the image data frame of the "other activities" template 203. Further, if many image data are pasted on the "other activities" template 203 and the number of image data is greater than the upper limit number of the image data frames, the "other activities" template 203 is duplicated and the remaining image data are pasted on

the newly-duplicated "other activities" template 203.

In this manner, the user obtains digital album automatically-generated only by performing a simple operation, i.e., designation of desired image data group and desired template. Further, it may be arranged such that the keyword at the end of the meta data, e.g., the keyword "50th anniversary meeting" (308) in Fig. 3A or the keyword "last meeting before rebuilding" in Fig. 3B is automatically inserted in the comment frame 213. The recognition of comment is made by, e.g., in meta data having keywords each belonging to any of the templates, detecting a keyword which does not belong to any of the templates. Further, comments may be manually put in the respective comment frames 213(Fig. 5A) with a keyboard etc.

Further, in the above embodiment, still image data with meta data is handled, however, audio data with meta data or moving image data with meta data may be incorporated into a template described in SMIL (Synchronized Multimedia Integration Language) as a multimedia description language and used for generation of digital album.

Note that SMIL is a multimedia language used in RealPlayer or the like for describing a method of reproduction of moving image data, audio data and still image data. As the method of digital album generation is

the same as described above using still image data, i.e., selecting a scenario, searching meta data for necessary moving image data and/or audio data and inserting the data into templates, the explanation of the method will  
5 be omitted here.

As described above, according to the present embodiment, a digital album can be automatically generated only by designating a scenario and an image data group using still image data with meta data. Thus,  
10 the recording apparatus and method of the present embodiment omit many troublesome works in generation of digital album.

Further, it is preferable that a desired album can be easily generated only by selecting a template file  
15 constructed with plural templates. Further, in the case where an upper limit is set on binary data arrangeable in template, if the binary data are rearranged when the number of binary data is greater than the upper limit, the same template is newly generated. Accordingly, even  
20 if many meta data have a particular content and they cannot be arranged in one template, remaining data can be arranged in the newly-generated same template.

As described above, the present invention provides apparatus and method for easily generating a digital  
25 album by utilizing binary data to which meta data is previously added. Further, the invention provides

apparatus and method for automatically generating a digital album by utilizing meta data added to binary data.

5 <Second Embodiment>

In the present embodiment, editing of moving image data is performed by using a personal computer, a specialized device or the like as a moving image data editing apparatus. Fig. 10 is a block diagram showing  
10 the system configuration of the moving image editing apparatus according to the second embodiment.

In Fig. 10, numeral 1100 denotes a data input/output device which performs data input/output; 1101, an input device including a keyboard and a  
15 pointing device such as a mouse, which inputs instructions and data from the user; and 1102, a storage device such as a hard disk in which binary data as moving image data to be edited and meta data linked to the binary data are stored.

20 Numeral 1103 denotes a display device which displays a GUI and images under the control of CPU 1104. As the display device 1103, a CRT, a liquid crystal display or the like is used. The CPU 104 relates to all the processings at the above-described elements.

25 Numerals 1105 and 1106 denote a ROM and a RAM which provide programs, data, work area and the like necessary

for various processings to the CPU 1104. Note that control programs necessary for the respective processings as shown in the flowcharts of Fig. 13 and the subsequent figures are stored in the storage device 1102 or the ROM 1105. If the control programs are stored in the storage device 1102, the programs are temporarily read into the RAM 1106 then executed by the CPU 1104.

Note that in the system configuration, various constituent elements other than the above-described elements exist, however, as the explanation of those elements is not a principle object of the present invention, the explanation will be omitted.

Moving image editing is reading moving image data obtained by a digital video camera or the like into a personal computer or the like, then adding a title, rearranging image data, and/or processing a joint between images. In the moving image editing method according to the present embodiment, themes such as "sports" and "wedding ceremony" are prepared, then a search is made for image data corresponding to one of the themes, and the obtained moving image data are automatically display-described in predetermined templates.

Fig. 11 is an explanatory view schematically showing moving image editing processing according to the present embodiment. Upon editing, first, a large frame



such as a theme 1201 is set. In this embodiment, as an example of theme, "wedding" is used. The theme 1201 includes a theme title image 1202 and one or more templates 1203 and 1204. The title image 1202 displays a title corresponding to the theme 1201. The title image is a content displayed, e.g., in the first place, upon moving image reproduction.

A template produces one partitioned scene in a theme. For example, in the theme "wedding", "church" of the template 1203 and "wedding party" of the template 1204 correspond to such scenes. The template includes a template title image 1205, a template keyword 1209 prepared in the template, a moving reproduction frame 1210 and the like. The title image 1205 first displays a template title upon moving image reproduction within the template.

The keyword 1209 is used for searching for moving image data put in the template 1204. A moving image search is made based on whether or not the keyword 1209 matches the content of meta data registered in moving image data. Otherwise, a moving image search is made based on whether or not a feature amount linked to the keyword matches that of image. The moving image found by the search is inserted in the template. For example, assuming that a keyword "chaplain" exists in the template 1203, and meta data "chaplain" is registered in

the moving image data 1206, as the template keyword matches the meta data registered in the moving image data, the moving image data 1206 is inserted into the template 1203.

5           The moving image reproduction frame 1210 is used as a frame for moving image reproduction or a background. Various patterns and characters are prepared for improvement in appearance upon moving image reproduction. Further, the templates include special effects applied  
10 to a joint of moving image data and the like. Further, the templates are arranged in reproduction order. For example, in Fig. 11, the title image 1202, then the template 1203, and the template 1204, are sequentially reproduced.

15           Note that the reproduction order is described in the theme 1202. That is, in the theme 1201, descriptions of the title image, the template 1203 and the template 1204 are made in the reproduction order. Each template has descriptions of title image, moving images obtained  
20 by search, data reproduced in a joint between respective moving images (or special effect in the joint) and the like.

          Hereinbelow, moving image editing by utilizing a moving image data search using meta data will be  
25 described. Meta data means data on data, including a keyword for moving image data in the present embodiment.

Fig. 12A shows a data structure where meta data is added to moving image data. In Fig. 12A, an image file 1300 has moving image data 1301 and meta data 1302 added to the end of the moving image data 1301. Note that in  
5 the present embodiment, moving image data with meta data will be referred to as a moving image file.

The moving image data 1301 has a general data format having a header 1303 and data 1304. In the present embodiment, the meta data 1302 described in XML  
10 language includes information "location", "date", "object", "keyword" and the like. The meta data may have more information. Further, as the data description language in the meta data, other data description languages such as HTML and SGML than the XML may be used.

Further, meta data may be added to plural  
15 positions in one moving image file. For example, in Fig. 12B, a data portion of one image moving data is divided into three parts in time unit (data 1311, 1313 and 1315), and meta data (1312, 1314 and 1316) are added to the  
20 respective partial data. That is, the moving image file 1310 includes a header 1320, the data portion divided into three partial data, and three meta data corresponding to the three partial data. The data division in moving image data is performed in time or  
25 frame units.

In addition, it may be arranged such that meta

data is described in the header of moving image data, or meta data is held as another file. In the latter case, the meta data includes pointer information to specify image data.

5           Hereinbelow, processing upon editing using plural moving image files having the above structure will be described.

10           Fig. 13 is a flowchart showing processing upon moving image editing. First, at step S1401, the theme of moving image to be edited is determined. One of previously-provided themes such as "wedding ceremony" and "sports" is selected. When the theme has been determined, the system automatically selects a template group corresponding to the theme. In the present  
15           embodiment, a template group and a description of its reproduction order (hereinbelow referred to as a "theme description") are registered for each theme. When a theme to be used is determined, a template group to be used and its reproduction order are determined in  
20           accordance with the corresponding theme description. For example, in Fig. 11, regarding the theme "wedding ceremony" 1201, a template group having the templates 1203 and 1204 and a theme description indicating that reproduction is made from the template 1203 to the  
25           template 1204 are determined. Note that it may be arranged such that editing including deletion/addition

of desired template and change of reproduction order can be performed on the theme description.

As described in Fig. 11, each template has descriptions of title image, moving image reproduction frame, keyword group and the like in a multimedia description language such as SMIL. Note that the description may be made in another data description languages such as XML, SVG, XHTML, HTML or SGML.

Next, at step S1402, one of the templates designated by the theme description is read from the storage device 1102 in Fig. 10. Then at step S1403, a search for moving image data is made in accordance with the keyword 1209 described in the template read at step S1402. The details of the search processing will be described later.

At step S1404, the moving image data found by the search at step S1403 are rearranged in time-sequential order by date. Then at step S1405, the moving image data rearranged at step S1404 are described in the templates so as to be displayed in the order. The details of the moving image data display description into the templates will be described later.

At step S1406, it is determined whether or not the moving image data display description has been completed in all the templates in the template group described in the theme description. If a template where the display

description has not been completed exists, the process returns to step S1402 to repeat the above-described processing for the remaining templates.

On the other hand, if the moving image data display description has been completed in all the templates, the process proceeds to step S1407, at which overlapped moving image data are adjusted. Overlapped moving image data are moving image data display-described in plural templates. That is, in the processing at step S1407, one moving image data display-described in plural templates is display-described in one more appropriate template.

More specifically, the date of overlapped moving image data is compared with the dates of previous and subsequent moving image data, then the display description of the overlapped moving image data is left only in a template having moving image data with closer date, and the other moving image data are deleted from the other templates. Otherwise, adjustment may be made by matching level between a keyword group included in the meta data and keyword groups described in the templates (the number of keywords matching the meta data).

At step S1408, the plural templates are described as one and outputted as a file. The file has a format as shown in Fig. 2, and outputted in a multimedia

description language such as SMIL. Another data  
description language such as XML, SVG, XHTML, HTML or  
SGML may be used. Further, the file may be outputted not  
as a data description language file but as a moving  
5 image file in format of MPEG1, MPEG2, MPEG4, AVI,  
QuickTimeMovie or the like.

Next, the moving image data search processing at  
step S1403 will be described. Fig. 14 is a flowchart  
showing the moving image data search processing  
10 according to the present embodiment. First, at step  
S1501, all the keywords described in the template are  
read and stored into the RAM 1106 in Fig. 10. At step  
S1502, one of moving image files as a search object is  
read from the storage device 1102, and meta data is  
15 extracted and stored into the RAM 1106 in Fig. 10.

At step S1503, each keyword in the template is  
compared with the meta data obtained at step S1502 to  
determine whether or not the keyword matches the meta  
data. If the keyword matches the meta data, the process  
20 proceeds to step S1504, at which a path of the moving  
image data in the storage device 1102 is stored into the  
RAM 1106, and the process proceeds to step S1505.

Note that if the moving image file having meta  
data matching the keyword has a format as shown in Fig.  
25 12A, the path to the moving image file becomes the path  
to the moving image data. Further, if the moving image

file has a structure as shown in Fig. 12B, and the meta data matches the keyword of partial data divided from one moving image data, the position of the partial data in the moving image file is stored into the RAM 1106.

- 5 The designation of the position of the partial data in the moving image file may be e.g. designation of time (minutes and seconds) from the start position of the moving image data. Otherwise, the number of frames from the start position may be designated. Note that at step
- 10 S1503, if the keyword does not matches the meta data, the process proceeds to step S1505.

- At step S1505, it is determined whether or not the processing at steps S1502 to S1504 has been performed on all the moving image data in the storage device 1102. If
- 15 there is unprocessed moving image data, the process returns to step S1502, at which the above processing is repeated for the remaining moving image data. On the other hand, if the above processing has been performed on all the moving image data, the process proceeds to
- 20 step S1506. At step S1506, it is determined whether or not a path to the moving image data exists in the RAM 1106. If no path exists in the RAM, the process proceeds to step S1507, at which the template is deleted from the theme description since the template has no moving image
- 25 data to be reproduced, and the search operation is terminated. On the other hand, if a path exists, the



search operation is terminated after step S1506.

Note that in the above processing, an image file including moving image data and meta data as shown in Figs. 12A and 12B is handled as a search object, however, if moving image data and meta data are separately held, a search is made for meta data matching the keyword at step S1502, then at step 1504, a path to moving image data registered in the meta data detected by the search is stored into the RAM 1106.

Next, the processing of display-describing moving image data into the templates at step S1405 in Fig. 13 will be described with reference to the flowchart of Fig. 15.

At step S1601, the moving image data arranged in the time-sequential order by date are display-described in the templates such that the image data are to be reproduced in the order. The dates are obtained from information recorded in the meta data or the headers. At step S1602, in description of plural moving image data, special effect processing is performed on a joint between the moving image data for smooth scene change. The special effect processing is description in accordance with the theme in a description language such as SMIL into the template. For example, if the theme is "wedding ceremony", an animation of crackers of congratulation is prepared as a special effect, and the

moving image data changes before or after the special effect. Further, general effects such as dissolve and cross may be used. These special effect processing are previously provided in a description language such as  
5 SMIL in the template, and automatically added to the description.

At step S1603, information of time, location and the like are described in the templates so as to be displayed on the display screen. Then the process ends.  
10 By this processing, when a predetermined operation (e.g., clicking a predetermined position by a mouse) is performed, meta data on time, location and the like can be displayed on the display screen. It may be arranged such that these data are always displayed.

15 As described above, according to the present embodiment, moving image data are selected in accordance with a keyword for moving image search described in a template, and display description is made in the template to display the selected moving image data,  
20 thereby editing of moving image data is realized. The user merely selects a theme including templates, and the editing operation is extremely easily realized.

Further, if plural moving image data are to be display-described in one template, as predetermined  
25 processing is performed on a joint between different moving image data, an editing operation on the joint can

be omitted.

Further, if plural moving image data are to be displayed in one template, as the image data are arranged such that reproduction is made in the time-  
5 sequential order by date of generation of data, image reproduction can be performed in natural order.

Further, one theme is selected, and plural templates related to the theme are automatically selected. Then editing of moving image data is performed  
10 in the respective selected plural templates. Accordingly, the user only selects a theme and the moving image editing is automatically performed, thereby troublesome operations are omitted.

Further, at this time, if image data are display-  
15 described in plural templates, only one template in which the moving image data is to be described is automatically selected so as to avoid display description of the moving image data in other templates. Thus overlapped reproduction of image data is prevented,  
20 and more appropriate editing is realized.

Further, as shown in Fig. 12B, meta data is added to each partial data divided from moving image data, and image data editing is performed in partial data units. Thus more elaborate image editing is realized.

25  
<Third Embodiment>

In the second embodiment, the moving image data search is performed by using meta data. In the present embodiment, the moving image data search is performed by similar image search and moving image editing is performed.

Similar image search is a technique of dividing an image into arbitrary number of images, extracting feature amount of each image (color and its location) and performing an image search. Note that as the present embodiment has the same construction and processing procedures as those in the second embodiment except the moving image data search, the explanations of the construction and procedures will be omitted.

Fig. 16 is a flowchart showing the moving image data search processing by utilizing the similar image search. Note that in Fig. 16, steps S1701, S1705 to S1707 are identical to steps S1501, S1505 to S1507 in Fig. 14.

At step S1701, all the keywords are read from a template and stored into the RAM 1106 in Fig. 10. At step S1702, one of the plural moving image data is read from the storage device 1102 in Fig. 10, and images are extracted at predetermined frame intervals from the moving image data. Then, feature amounts of all the extracted images are calculated and stored into the RAM 1106 in Fig. 10. Note that if the moving image data is

stored as a moving image file as shown in Fig. 12A or 12B, the moving image data is extracted from the moving image file, and frame extraction and feature amount calculation are performed.

5           Next, at step S1703, the keyword of the template is compared with the feature amounts of the moving image data, to find a match. Note that the keyword is converted into an image feature amount by referring to a table of image feature amounts corresponding to  
10   respective keywords previously stored in the storage device 1102. For example, the system converts a template keyword "sunset" by referring to the table into a feature amount of "an image having an orange to yellow object at the center in a reddish background". Then the  
15   obtained feature amount is compared with each of the feature amounts stored into the RAM 1106 at step S1702.

          If the feature amounts match or comparatively close to each other (fuzzy search), the process proceeds to step S1704. If the feature amounts do not match or  
20   not comparatively close to each other, the process proceeds to step S1705. At step S1704, the path of the moving image data in the storage device 1102 is stored into the RAM 1106. At step S1705, it is determined whether or not the processing at steps S1702 to S1704  
25   has been performed on all the moving image data in the storage device 1102. If there is unprocessed image data,

the process returns to step S1702, at which the above processing is performed on the remaining moving image data.

If the above processing has been performed on all  
5 the moving image data, the process proceeds to step  
S1706. At step S1706, it is determined whether or not a  
path to the moving image data exists in the RAM 1106. If  
no path exists, the process proceeds to step S1707. If a  
path exists, the search operation is terminated. At step  
10 S1707, the template having no moving image data matching  
the feature amount is deleted from the theme description,  
and the search operation is terminated.

As described above, according to the above second  
and third embodiments, moving image editing can be  
15 automatically performed by utilizing templates and  
moving image search. The user only selects a theme, and  
moving image editing is automatically performed. Thus  
troublesome works can be omitted.

Note that in the third embodiment, the scenic word  
20 "sunset" is used as the template keyword, however, other  
types of words e.g. a word directly expressing the color  
of image such as "red" or "orange" may be used. Further,  
it may be arranged such that a template has an image of  
"sunset" and a search is made for moving image data  
25 similar to the image.

Further, in the above embodiment, the feature

amount of image is determined by the color and location in the image, however, it may be arranged such that the an outline is extracted from the image and the feature amount is determined based on the outline.

- 5 Further, in addition to the moving image data search described in the present embodiment, following moving image data search may be performed. For example, items "amount of movement (change) of moving image" or "level of sound" is provided in templates, and the value
- 10 is set in the respective templates. The amount of movement or the level of sound of the moving image data in the moving image file is actually examined, and a search is made for data having a value close to the set value. Otherwise, it may be arranged such that audio
- 15 data added to moving image data is recognized, and the audio data is compared with a template keyword.

Note that the classification into templates by similar image search in the third embodiment is applicable to the still image in Fig. 1.

- 20 As described above, according to the present invention, moving image editing can be automated, and moving image data can be easily edited.

- Note that the object of the present invention can be also achieved by providing a storage medium (or
- 25 recording medium) storing software program code for performing the aforesaid processes to a system or an

apparatus, reading the program code with a computer (e.g., CPU, MPU) of the system or apparatus from the storage medium, then executing the program.

In this case, the program code read from the  
5 storage medium realizes the functions according to the embodiments, and the storage medium storing the program code constitutes the invention.

Further, the storage medium, such as a floppy disk, a hard disk, an optical disk, a magneto-optical disk, a  
10 CD-ROM, a CD-R, a DVD, a magnetic tape, a non-volatile type memory card, and ROM can be used for providing the program code.

Furthermore, besides aforesaid functions according to the above embodiments are realized by executing the  
15 program code which is read by a computer, the present invention includes a case where an OS (operating system) or the like working on the computer performs a part or entire processes in accordance with designations of the program code and realizes functions according to the  
20 above embodiments.

Furthermore, the present invention also includes a case where, after the program code read from the storage medium is written in a function expansion card which is inserted into the computer or in a memory provided in a  
25 function expansion unit which is connected to the computer, CPU or the like contained in the function



expansion card or unit performs a part or entire process in accordance with designations of the program code and realizes functions of the above embodiments.

As many apparently widely different embodiments of  
5 the present invention can be made without departing from the spirit and scope thereof, it is to be understood that the invention is not limited to the specific embodiments thereof except as defined in the appended claims.